

653.01

JUNCTION BOX
140x115x60mm IP66/IP67/IP69
GREY DIE-CAST ALUMINIUM



EN 60670-22 (2006)

Low voltage direct. 2014/35/EU

Commercial Series	ALUBOX Series
Synthetical description	JUNCTION BOX
Mounting version	SURFACE MOUNTING

■ PHYSICAL CHARACTERISTICS

Protection degree	Watertight
Protection degree IP	IP66/IP67/IP69
Material	DIE-CAST ALUMINIUM
Protection degree IK	IK08
Mounting version	SURFACE MOUNTING
Colour	GREY

■ DIMENSIONAL CHARACTERISTICS

Dimensions	140x115x60mm
------------	--------------

■ DOWNLOAD

[Technical drawing \[PDF\]](#)
[Technical drawing \[DWG\]](#)
[Technical drawing \[STP\]](#)

653.02

JUNCTION BOX
166x142x64mm IP66/IP67/IP69
GREY DIE-CAST ALUMINIUM



EN 60670-22 (2006)

Low voltage direct. 2014/35/EU

Commercial Series	ALUBOX Series
Synthetical description	JUNCTION BOX
Mounting version	SURFACE MOUNTING

■ PHYSICAL CHARACTERISTICS

Protection degree	Watertight
Protection degree IP	IP66/IP67/IP69
Material	DIE-CAST ALUMINIUM
Protection degree IK	IK08
Mounting version	SURFACE MOUNTING
Colour	GREY

■ DIMENSIONAL CHARACTERISTICS

Dimensions	166x142x64mm
------------	--------------

■ DOWNLOAD

[Technical drawing \[PDF\]](#)
[Technical drawing \[DWG\]](#)
[Technical drawing \[STP\]](#)

653.02

JUNCTION BOX
166x142x64mm IP66/IP67/IP69
GREY DIE-CAST ALUMINIUM



EN 60670-22 (2006)

Low voltage direct. 2014/35/EU

Commercial Series	ALUBOX Series
Synthetical description	JUNCTION BOX
Mounting version	SURFACE MOUNTING

■ PHYSICAL CHARACTERISTICS

Protection degree	Watertight
Protection degree IP	IP66/IP67/IP69
Material	DIE-CAST ALUMINIUM
Protection degree IK	IK08
Mounting version	SURFACE MOUNTING
Colour	GREY

■ DIMENSIONAL CHARACTERISTICS

Dimensions	166x142x64mm
------------	--------------

■ DOWNLOAD

[Technical drawing \[PDF\]](#)
[Technical drawing \[DWG\]](#)
[Technical drawing \[STP\]](#)

653.02

JUNCTION BOX
166x142x64mm IP66/IP67/IP69
GREY DIE-CAST ALUMINIUM



EN 60670-22 (2006)

Low voltage direct. 2014/35/EU

Commercial Series	ALUBOX Series
Synthetical description	JUNCTION BOX
Mounting version	SURFACE MOUNTING

■ PHYSICAL CHARACTERISTICS

Protection degree	Watertight
Protection degree IP	IP66/IP67/IP69
Material	DIE-CAST ALUMINIUM
Protection degree IK	IK08
Mounting version	SURFACE MOUNTING
Colour	GREY

■ DIMENSIONAL CHARACTERISTICS

Dimensions	166x142x64mm
------------	--------------

■ DOWNLOAD

[Technical drawing \[PDF\]](#)
[Technical drawing \[DWG\]](#)
[Technical drawing \[STP\]](#)

653.05

JUNCTION BOX
314x264x122mm IP66/IP67/IP69
GREY DIE-CAST ALUMINIUM



EN 60670-22 (2006)

Low voltage direct. 2014/35/EU

Commercial Series	ALUBOX Series
Synthetical description	JUNCTION BOX
Mounting version	SURFACE MOUNTING

■ PHYSICAL CHARACTERISTICS

Protection degree	Watertight
Protection degree IP	IP66/IP67/IP69
Material	DIE-CAST ALUMINIUM
Protection degree IK	IK08
Mounting version	SURFACE MOUNTING
Colour	GREY

■ DIMENSIONAL CHARACTERISTICS

Dimensions	314x264x122mm
------------	---------------

■ DOWNLOAD

[Technical drawing \[PDF\]](#)
[Technical drawing \[DWG\]](#)
[Technical drawing \[STP\]](#)

653.07

JUNCTION BOX
410x315x150mm IP66 GREY DIE-
CAST ALUMINIUM



EN 60670-22 (2006)

Low voltage direct. 2014/35/EU

Commercial Series	ALUBOX Series
Synthetical description	JUNCTION BOX
Mounting version	SURFACE MOUNTING

■ PHYSICAL CHARACTERISTICS

Protection degree	Splash proof
Protection degree IP	IP66
Material	DIE-CAST ALUMINIUM
Protection degree IK	IK08
Mounting version	SURFACE MOUNTING
Colour	GREY

■ DIMENSIONAL CHARACTERISTICS

Dimensions	410x315x150mm
------------	---------------

■ DOWNLOAD

[Technical drawing \[PDF\]](#)
[Technical drawing \[DWG\]](#)
[Technical drawing \[STP\]](#)